

APPENDIX F - HISTORIC PROPERTY INFORMATION

This Page Intentionally Left Blank.

**Table F-1
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option A or B		
Main Street and Buffalo Bayou	Main Street Viaduct	Cleared under the Programmatic Agreement among the FTA, Texas SHPO, and METRO regarding the Downtown to the Astrodome Light Rail Project in Houston, Texas, June 8, 2000, and F. Lawrence Oaks, SHPO to Robert C. Patrick, FTA, November 6, 2000.
1113 Vine Street	Art studios	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Main Street at Shea Street (for LRT only)	North Main Street Tunnel	Proposed LRT variation would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
407 North Main Street	Warehouse Sales	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1504 North Main Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
2124 North Main Street	Shopping Center	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
2223 North Main Street	Commercial; Retail	Proposed fixed guideway alignment acquisition of a small portion of the property would diminish its historical integrity. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1615 Keene Street	Industrial	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1620 Keene Street	Warehouse	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
2320 Keene Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
2324 Keene Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option A or B (continued)		
1507 Freeman Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1509 Freeman Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1511 Freeman Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Build Alternative - Option C or D		
2411 North Main Street	Commercial; Offices	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
2402 Freeman Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
617 Boundary Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
619 Boundary Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
704 Boundary Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
710 Boundary Street	Residential & Garage Apartment	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
718 Boundary Street	Residential; Two-Family	Proposed fixed guideway alignment acquisition of a small portion of the property would diminish its historical integrity. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option C or D (continued)		
906 Boundary Street	Residential, Two-Family	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
908 Boundary Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Boundary Street & Everett Street	Street Sign	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Build Alternative - Option D only		
Street sign on southwest corner of Morris Street in 700 block at Everett Street	Street sign	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
706 Morris Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
802 Morris Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Street sign on southeast corner of Morris Street in 900 block at Gentry Street	Street sign	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
917 Morris Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Street sign on southwest corner of Morris Street in 900 block at Gentry Street	Street sign	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option D only (continued)		
2408 Everett Street at Morris Street	Metal Fabricating	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1001 Morris Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
1003 Morris Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Build Alternative - Option E		
3906 Irvington Boulevard	Church	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3920 Irvington Boulevard	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3415 Moore Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4601 Hain Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4717 Hain Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4716 Hain Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4719 Hain Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option E (continued)		
4603 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4604 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4605 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4607 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4711 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4715 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4716 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4804 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4810 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4715 Siegel Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option E (continued)		
4720 Siegel Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4807 Siegel Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3423 Moore Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4801 Averill Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
606 Moody Street	Church	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Build Alternative - Option F		
Moody Park 3803 Fulton Street	Public Park	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3906 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3917 Fulton Street	Commercial Retail	Proposed fixed guideway alignment acquisition of a small portion of the property would diminish its historical integrity. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4624 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3811 Beggs Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3913 Kennon Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option F (continued)		
3905 Kennon Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
3924 Baden Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4016 Baden Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4020 Baden Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
4030 Baden Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
Build Alternative - Option G or H		
5611 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
5203 Fulton Street	Church	Proposed fixed guideway alignment acquisition of a small portion of the property would diminish its historical integrity. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
113 Wallace Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
103 Westfield Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
102 Neyland Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option G or H (continued)		
105 Neyland Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
106 Weisenberger Drive	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
5615 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
202 Avenue of Oaks	Masonic Lodge	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
6505 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
6509 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
6511 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
7010 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
7015 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
7018 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option G or H (continued)		
7019 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
7113 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
201 Sue Street	Residential	Proposed fixed guideway alignment acquisition of a small portion of the property would diminish its historical integrity. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
202 English Street	Residential	Proposed fixed guideway alignment acquisition of a small portion of the property would diminish its historical integrity. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
208 English Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
212 English Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
214 English Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
215 English Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
211 English Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
204 Graceland	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
210 Graceland Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

**Table F-1 (continued)
Properties for Which No Adverse Effect is Anticipated**

Address	Present Use	Comments
Build Alternative - Option G or H (continued)		
212 Graceland Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
214 Graceland Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
215 Graceland Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
5205 Dunlop Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
6703 Donlen Street [in 6701 listing]	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
6701 Donlen Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
7136 Fulton Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.
6539 Enid Street	Residential	Proposed fixed guideway alignment would not introduce elements that would harm the integrity or affect the primary facade of the resource; resource is not being altered, removed or neglected. Visual, audible, and atmospheric effects introduced by the fixed guideway system and/or construction would not diminish historical integrity.

Source: Sue Winton Moss, inc., 2004, 2005